

+( \$ / 7 +  
1875,7,21  
& \$ 7 \$ / 2 \* 8 (

1XWULWLRQDO  
6XSSOHPHQW  
,QJUHGLHQWV

\$OSKDSRLF \$FLG  
\$VWD[DQWKLQ  
%HWDLQH  
%HWDFDURWHQH  
%URPHODLQ  
&DIIHLQH  
&KLWRVDQ  
&KRQGURLWLQ VXOSKDW  
&KROLQH &KORULGH  
&KROLQH LW DUWUDWH  
&KROLQH LW DUWUDWH FRQ  
&KROLQH 'LK\GURJHQ &LW  
&LWLFROLQH  
&LWUXV %LRIDYRQRLGV  
&/ \$ SRZGHU  
&RHQ\PH 4  
&ROODJHQ ERYLQH FKL  
&RORVWUXP  
'0\$( / %LW DUWUDWH  
'0\* 'LPHWK\OJO\FLQH  
(\*&\* (SLJDOORFDWHFKLQ  
)HUXOLF DFLG

,QRVLWRO  
/XWHLQ  
/\FRSHQH  
0HODWRQLQ  
0HWK\OVXOIRQ\O 0HWK  
1\$'+  
1 \$FHW\O \*OXFRVDPLQH  
3DSDLQ  
3RO\FRVDQRO  
3KRVS KDWLG\OFKROLQH  
3KRVS KDWLG\OVHULQH  
4XHUFHWLQ  
5HG 5LFH <HDVW 3RZGHU  
NROLQ  
5HVYHUDWURO  
5XWLQ  
6RGLXP +\DOXURQDWH  
6R\ ,VRIODYRQH  
6R\ /HFLWKLQ  
\*OXFRVDPLQH +&, .&,  
\*OXFRURQRODFWRQH  
+0% FDOFLXP  
+HVSHULGLQ

9LWDPLQV DQG  
0LQH UD OV

9LWDPLQ %  
9LWDPLQ % VHULHV  
9LWDPLQ &  
9LWDPLQ '  
9LWDPLQ (  
&DOFLXP FRPSRXQGV  
)HUURXV FRPSRXQGV  
0DJQHVLXP FRPSRXQGV  
3RWDVVLXP FRPSRXQGV  
6RGLXP VDFFKDULQH  
=LQF FRPSRXQGV

\$PLQR \$FLGV DQGEHUV DQG  
UHODWHG FRPSRXQGV R WLFV

\$FHW\ODUQLWLQH  
\$GHQRV\O 0HWKLRQLQH  
%&\$\$Y  
&UHDWLQH PRQRK\GUDWH  
\*O\FLQH  
/ \$ODQLQH %HWD \$ODQLQH  
/ \$UJLQLQH EDVH DVSDU  
/ \$VSDUWLF \$FLG  
/ &DUQLWLQH EDVH +&O  
/ &DUQLWZDUH WUDWH  
/ &DUQRVLQH  
/ &LWUXOOLQH EDVH P  
&\VWHLQH +&/ %DVH  
/ \*OXWDPLF \$FLG  
/ \*OXWDPLQH  
/ VROHXFLQH  
/ /HXFLQH  
/ \VLQH +&/  
/ 0HWKLRQLQH  
/ 2UQLWKLQH +&/  
/ 3KHQ\ODODQLQH

3UROLQH  
/ 7KHDQLQH  
/ 7KUHRQLQH  
/ 7U\SWRSKDQ  
/ 7\URVLQH  
/ 9DOLQH

6ZHHWHQHUV

\$FHVXOIDPH .  
\$VSDUWDPH  
6RGLXP VDFFKDULQH  
6RWHYLD  
6RGLXP VDFFKDULQH  
6XFUDORVH

\$SSOH ILEUH  
%HWD XFDQ  
&RFRD ILEUHV  
)UXFWR 2OLJR6DF)26DUL  
\*OXFRPDQQDQ .RQMDF  
/ \$ODQLQH %HWD \$ODQLQH  
/ \$UJLQLQH EDVH DVSDU  
/ \$VSDUWLF \$FLG  
/ &DUQLWLQH EDVH +&O  
/ &DUQRVLQH  
/ &LWUXOOLQH EDVH P  
&\VWHLQH +&/ %DVH  
/ \*OXWDPLF \$FLG  
/ \*OXWDPLQH  
/ VROHXFLQH  
/ /HXFLQH  
/ \VLQH +&/  
/ 0HWKLRQLQH  
/ 2UQLWKLQH +&/  
/ 3KHQ\ODODQLQH

%HH  
3URGXFVV

3URWHLQ  
6RXUFHV

:KH\ SURWHLQ FRQFHQWUDWHV  
:KH\ SURWHLQ LVRODWH  
3HD SURWHLQ  
5LFH SURWHLQ

0DULQH GHULYHG  
LQJUHGLHQWV

&KRQGURLWLQ 6XOSKDW 6KDUN  
&KORUHOOD SRZGHU  
&RGLYHU RLO SRZGHU  
&RUDO &DOFLXP  
'+\$ (3\$ SRZGHUV  
)LVK FROODJHQ

)LVK 2LOV (3\$ '+\$  
\*UHHQVKHOO 0XVVHO 3F  
.HOS  
.ULOO  
0DULQH 6TXDOHQH  
1RUL  
2\VVHU SRZGHU  
6KDUN /LYHU 2LO  
6KDUN &DUWLODQH 3RZC  
6SLUXOLQD  
:DNDPH

3RZGHU  
2LOV

%ODFN FXUUDQW RLO S  
%RUDJH RLO SRZGHU  
)OD[VHHG RLO SRZGHU  
\*UDSHVHHG RLO SRZGHU  
2HQRWKHUD ELHQQLV R  
:KHDW JHUP RLO SRZGHU

:KH\ SURWHLQ FRQFHQWUDWHV  
:KH\ SURWHLQ LVRODWH  
3HD SURWHLQ  
5LFH SURWHLQ

ZZZ LQILQLWHFKRLFH SW  
LQIR#LQILQLWHFKRLFH SW  
7HOHSKROH  
5XD GD GD &HUF ±/RW  
\$UPD]P \$ 6RXVHODV  
6DUJHQWWRU  
&RLPEUD  
32578\*\$



## Herbal Dry Extracts

PRODUCT	BOTANICAL NAME	AVAILABLE GRADES
Açaí	<i>Euterpe oleracea</i> Mart	4:1   1%, 10%, 20% Polyphenols
Acerola	<i>Malpighia glabra</i> L.	10%, 17%, 25%, 50% Ascorbic Acid
Agaricus Mushroom	<i>Agaricus blazei</i>	4:1
Aloe vera	<i>Aloe barbadensis</i>	4:1   100:1   200:1
Andrographis	<i>Andrographis paniculata</i>	10% Andrographolids
Anise	<i>Pimpinella anisum</i>	4:1   0,5%, 6% Essential oil
Apple	<i>Malus domestica</i>	4:1
Artichoke	<i>Cynara scolymus</i>	4:1   2%, 5% Cynarine; 1%, 5%, 7%, 13-18% Chlorogenic Acid
Bacopa monnieri	<i>Bacopa monnieri</i>	4:1   3%, 5%, 10%, 20% Bacosides
Bear's Garlic	<i>Allium ursinum</i> PE	3:1, 5:1
Beetroot	<i>Beta vulgaris</i>	4:1, 12:1   10% Betanin
Bilberry	<i>Vaccinium myrtillus</i> L.	4:1   1%, 2.5%, 5%, 15%, 25% Anthocyanidins
Birch	<i>Betula pendula</i> Roth.	4:1, 5:1   1%, 1.5%, 2,5% Hyperoside
Bitter orange	<i>Citrus aurantium</i>	5:1   4%, 5%, 6%, 10% Synephrine  20%,50%, 90% Hesperidin
Black Cohosh	<i>Cimicifuga racemosa</i>	2.5% Triterpene Glycosides
Black Currant	<i>Ribes nigrum</i> L.	4:1   8% Tot. Polyphenols
Boldo	<i>Peumus boldus</i>	0,05% Boldine
Boswellia	<i>Boswellia serrata</i>	40%, 65% Boswellic Acids
Butchers Broom	<i>Ruscus aculeatus</i>	4:1   5%, 10% saponins calc. as ruscogenin
Caraway	<i>Carum carvi</i> L.	4:1   0,5% Essential oil
Carrot	<i>Daucus carota</i> (L.) var. <i>sativa</i>	4:1   1,8%, 2% Betacarotene
Cascara sagrada	<i>Rhamnus purshiana</i> Dc	4:1   10.0%-12.0% hydroxyanthracene glyc. calc. as cascarioside A
Cat's Claw Bark	<i>Uncaria tomentosa</i>	4:1   0,5%, 2,5% tot. oxindole alka
Chamomile	<i>Camomilla matricaria</i>	3:1, 4:1  0,1%, 1% Apigenin 7- glucoside   0,3%, 5% 10% Apigenin
Cinnamon	<i>Cinnamomum zeylanicum</i>	4:1
Cocoa seed	<i>Theobroma cacao</i>	7% 10% Theobromine   40% Tot. Polyphenols
Coffea arabica	<i>Coffea arabica</i>	10%, 45%, 50%, 60%, Chlorogenic acids
Cranberry	<i>Vaccinium macrocarpon</i>	1%, 10%, 25%, 30% PAC
Dandelion	<i>Taraxacum officinale</i>	4:1   10%, 20% Inulin
Devil's claw	<i>Harpagophytum procumbens</i>	4:1   1%, 1,5%, 2,5%, 5% harpagosides
Dog Rose	<i>Rosa canina</i>	4:1, 5:1  4%, 5%, 10% 20% 50% 70% Ascorbic Acid
Earth smoke	<i>Fumaria officinalis</i>	4:1   0,04% protopin
Echinacea purpurea	<i>Echinacea purpurea</i>	4:1, 5:1   4% Tot. Polyphenols
Erva mate	<i>Ilex paraguariensis</i>	4:1  4%, 8%, 20% Caffeine
Fennel	<i>Foeniculum vulgare</i>	2:1, 4:1, 6:1  0,1%, 0,5%, 1% Essential oils
Fenugreek	<i>Trigonella foenum-graecum</i>	1:1, 4:1  20% Saponins
Garcinia Cambogia	<i>Garcinia Cambogia</i>	5:1   60% Hydroxycitric acid
Garlic	<i>Allium sativum</i>	0,45%, 1%, 2% Allin
Ginger	<i>Zingiber officinalis</i>	4:1, 5:1   1%, 5%, 6%, 10%, 15%, 20%, 25% Gingerol
Ginkgo biloba	<i>Ginkgo biloba</i>	24% Flavones 6% terpene   3% Flavones
Ginseng	<i>Panax ginseng</i> C.A. Meyer	2:1, 4:1   5%, 6%, 10% Tot. Ginsenosides
Gotu Kola	<i>Centella asiatica</i> L.	2:1, 4:1   20%,40%, Tot.Triterpenes  2%,5%,10%, 20%Asiaticoside
Grape seed	<i>Vitis vinifera</i> L.	4:1   45% Proanthocyanidins
Graviola	<i>Annona muricata</i>	4:1

\* Liquid extracts (Hydroglyceric and Glycolic) also available upon request



## Herbal Dry Extracts

PRODUCT	BOTANICAL NAME	AVAILABLE GRADES
Green Tea	<i>Camellia sinensis</i>	4:1, 5:1, 20:1   14% 50% 95% polyphenols; 40% 50% 90% EGCG;
Griffonia	<i>Griffonia simplicifolia</i>	25%, 50% 5-HTTP
Guarana	<i>Paullinia cupana</i> Kunt	4:1   2.5%, 10%, 15% Caffeine
Gymnema	<i>Gymnema sylvestre</i> R. Brown	25% Gymnemic acids
Hawthorn	<i>Crataegus monogyna</i>	0.5% Vitexin
Horse chestnut	<i>Aesculus hippocastanum</i> L.	18%-22% Aescin
Horsetail	<i>Equisetum arvense</i> L.	4:1, 6:1   1%, 7% Silica
Kidneybean	<i>Phaseolus vulgaris</i> L.	4:1
Kiwi	<i>Actinidia chinensis</i>	4:1
Lavender	<i>Lavandula officinalis</i>	4:1   0.5% essential oil
Lemon Balm	<i>Melissa officinalis</i> L.	4:1   2% rosmarinic acid
Licorice	<i>Glycyrrhiza glabra</i> L.	4:1   5:1   15%, 20% Glycyrrhizic acid
Maca	<i>Lepidium meyenii</i> Walp	4:1, 5:1, 10:1
Maitake mushroom	<i>Grifola frondosa</i>	5:1   15%, 25% Polysaccharides
Mangosteen	<i>Garcinia mangostana</i> L.	4:1
Marigold	<i>Calendula officinalis</i> L.	5%, 10%, 20% Lutein
Marshmallow	<i>Althaea officinalis</i>	4:1
Milk Thistle	<i>Silybum marianum</i> (L.) Gaertn.	4:1   2%, 25%, 70%, 80% Sylimarin calc. As Silibin
Moringa Oleifera	<i>Moringa Oleifera</i>	4:1   10:1
Nettle	<i>Urtica dioica</i> L.	4:1   10:1   0.4%, 0.8%, 2% silica
Noni	<i>Morinda citrifolia</i> L.	4:1   4% tot. polyphenols
Passion Flower	<i>Passiflora incarnata</i> L.	4:1   1%, 2% vitexin
Peppermint	<i>Mentha x piperita</i> L.	4:1   0,5% Essential oil
Pineapple	<i>Ananas comosus</i> Merr.	2:1   250, 600 GDU   0.3%, 2% Bromelain
Pomegranate	<i>Punica granatum</i> L.	4:1   5:1   40% Ellagic acid
Red Clover	<i>Trifolium pratensis</i> L.	8%, 20%, 40% Isoflavones
Reishi Mushroom	<i>Ganoderma lucidum</i>	4:1   10%, 30% polysaccharides
Rhodiola	<i>Rhodiola rosea</i> L.	4:1   1%, 3%, 4% rosavin
Rosemary	<i>Rosmarinus officinalis</i> L.	4:1   5% Carnosic acid
Sage	<i>Salvia officinalis</i> L.	4:1
Saw Palmetto	<i>Serenoa repens</i> Hook.	4:1   5%, 30%, 45% Fatty acids
Senna	<i>Cassia angustifolia</i> Vahl (fol)	8:1   6%, 20% Sennosides
Shiitake mushroom	<i>Lentinula edodes</i>	5:1   10:1
Soy	<i>Glicine soja</i> e <i>G. max</i> L.	10%, 20%, 40% Tot. Isoflavones
St. John's Worth	<i>Hypericum perforatum</i> L.	4:1   0,3% Hypericins
Suma (Pfaffia)	<i>Pfaffia paniculata</i> (Mart) O. Kuntze	4:1
Sweet clover	<i>Melilotus officinalis</i>	4:1   20% coumarin
Thyme	<i>Thymus vulgaris</i> L.	4:1   10% Flavonoids
Tomato	<i>Lycopersicon lycopersicum</i> (L.)	10%, 20% Lycopene
Tribulus Terrestris	<i>Tribulus Terrestris</i>	4:1   20%, 40%, 60% saponines
Turmeric	<i>Curcuma longa</i> L.	5:1   5%, 10%, 95% Curcumin
Valerian	<i>Valeriana officinalis</i> L.	4:1   0.4%, 0.8% valerenic acid
Wakame	<i>Undaria pinnatifida</i>	4:1   20% fucoxantine
Witch hazel	<i>Hamamelis virginiana</i>	4:1   12% tannins

\* Liquid extracts (Hydroglyceric and Glycolic) also available upon request